Connectivity Book 12. 2024







AV lecterns, cabinets, media walls, video walls, collaboration tables, huddle spaces, boardroom and meeting room tables, control desks, server racks, screen stands / trolleys and sound management solutions to name a few

Connectivity



EVOline[®] FlipTop Push

The EVOline[®] FlipTop Push provides an 'executive' yet simple and effective solution to future proof connectivity with its range of interchangeable data and multimedia sockets. At the press of a finger, the cover opens to reveal the power and connectivity sockets. Retractable, even when in use, the FlipTop Push provides a contemporary and stylish solution for the workplace, hotel and meeting/boardroom tables. Only 68mm in depth, it is quick and easy to install whether for new build, refurbishment or

retrofit.

The FlipTop Push can be custom tailored and specified with <u>UK and/or international sockets</u>, <u>USB Chargers</u>, data and multimedia modules.

Finish Options

- •Brushed solid stainless steel cover, Black anodised aluminium profile.
- •Black powder coated steel cover, Black anodised aluminium profile.
- •White powder coated steel cover, Black anodised aluminium profile.

Description: EVOline® Flip Top Push with UK Mains & USB A&C Charge

(157mm x 245mm internal dimension only, please refer to installation instructions for cut-out size)

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)

Product Codes:

PUSH-Q14800-1 (Stainless Steel) PUSH-Q14800-2 (Black Powder Coat) PUSH-Q14800-3 (White Powder Coat)

1 - 1 - L

Description: EVOline® Flip Top Push with UK Mains, USB Charge & CAT6 (157mm x 295mm internal dimension only, please refer to installation instructions for cut-out size)

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)
- 2 x RJ45 Cat6, shielded, Reichle & De-Massari data connection, with 3m data cable and plug

Product Codes:

PUSH-Q14801-1 (Stainless Steel) PUSH-Q14801-2 (Black Powder Coat) PUSH-Q14801-3 (White Powder Coat)



Description: EVOline® Flip Top Push with UK Mains, USB Charge & HDMI (157mm x 295mm internal dimension only, please refer to installation instructions for cut-out size)

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)
- 1 x HDMI 2.0 socket, with 3m cable and plug

Product Codes:

PUSH-Q14802-1 (Stainless Steel) PUSH-Q14802-2 (Black Powder Coat) PUSH-Q14802-3 (White Powder Coat)



Description: EVOline® Flip Top Push with UK Mains, USB Charge, HDMI & CAT6

(157mm x 345mm internal dimension only, please refer to installation instructions for cut-out size)

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)
- 1 x HDMI 2.0 socket, with 3m cable and plug
- 2 x RJ45 Cat6, shielded, Reichle & De-Massari data connection, with 3m data cable and plug

Product Codes:

PUSH-Q14803-1 (Stainless Steel) PUSH-Q14803-2 (Black Powder Coat) PUSH-Q14803-3 (White Powder Coat)



Description: EVOline® Flip Top Push with UK Mains, USB Charge, HDMI, USB Power & CAT6

(157mm x 345mm internal dimension only, please refer to installation instructions for cut-out size)

- 2 x UK sockets, individually fused 3.15A with 3m supply cable & UK plug
- 1 x Double USB Charger, Type A+C (2.1A shared)
- 1 x HDMI 2.0 connection with 3m cable and plug
- 1 x USB-C Power Delivery socket (up to 100W/3A & 10GB data transfer), with 1m USB cable & USB Type C plug (additional power adaptor may be required)
- 2 x RJ45 CA T 6, shielded, Reichle & De-Massari data connections with 3m cables and plugs

Product Codes:

PUSH-Q14804-1 (Stainless Steel) PUSH-Q14804-2 (Black Powder Coat) PUSH-Q14804-3 (White Powder Coat)



Description: EVOline® Flip Top Push with UK Mains & USB A&C Charge (Quick Charge & Power Delivery)

(157mm x 245mm internal dimension only, please refer to installation instructions for cut-out size)

- 2 x UK sockets, individually fused 3.15A with 3m supply cable & UK plug
- 1 x Double USB A+C (QC/PD), with USB Type A Quick Charge (up to 15w/3A) + USB Type C Power Delivery (up to 65w/3.25A)

Product Codes:

PUSH-Q14788-1 (Stainless Steel) PUSH-Q14788-2 (Black Powder Coat) PUSH-Q14788-3 (White Powder Coat)



Description: EVOline® Flip Top Push with UK Mains, USB Charge & CAT6 (Quick Charge & Power Delivery)

(157mm x 295mm internal dimension only, please refer to installation instructions for cut-out size)

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)
- 2 x RJ45 Cat6, shielded, Reichle & De-Massari data connection, with 3m data cable and plug

Product Codes:

PUSH-Q14805-1 (Stainless Steel) PUSH-Q14805-2 (Black Powder Coat) PUSH-Q14805-3 (White Powder Coat)



Description: EVOline® Flip Top Push with UK Mains, USB Charge & HDMI (Quick Charge & Power Delivery)

(157mm x 295mm internal dimension only, please refer to installation instructions for cut-out size)

- 2 x UK sockets, individually fused 3.15A with 3m supply cable & UK plug
- 1 x Double USB A+C (QC/PD), with USB Type A Quick Charge (up to 15w/ 3A) + USB Type C Power Delivery (up to 65w/3.25A)
- 1 x HDMI 2.0 connection with 3m cable and plug

Product Codes:

PUSH-Q14806-1 (Stainless Steel) PUSH-Q14806-2 (Black Powder Coat) PUSH-Q14806-3 (White Powder Coat)



Description: EVOline® Flip Top Push with UK Mains, USB Charge, HDMI & CAT6 (Quick Charge & Power Delivery)

(157mm x 345mm internal dimension only, please refer to installation instructions for cut-out size)

- 2 x UK sockets, individually fused 3.15A with 3m supply cable & UK plug
- 1 x Double USB A+C (QC/PD), with USB Type A Quick Charge (up to 15w/3A) + USB Type C Power Delivery (up to 65w/3.25A)
- 1 x HDMI 2.0 connection with 3m cable and plug
- 2 x RJ45 CAT 6, shielded, Reichle & De-Massari data connections with 3m cables and plugs

Product Codes:

PUSH-Q14807-1 (Stainless Steel) PUSH-Q14807-2 (Black Powder Coat) PUSH-Q14807-3 (White Powder Coat)







EVOline® Frame Dock

The EVOline[®] Frame Dock provides a simple and versatile solution to future proof connectivity with its range of interchangeable data and multimedia sockets. Flush mounted with only 51mm depth, the perfect solution for integrating power and connectivity into collaborative workspaces, soft seating and a host of other applications.

The Frame Dock can be tailored to accommodate the most demanding of connectivity requirements and configurable with <u>UK and/or international sockets</u>, <u>USB Chargers</u>, <u>data and</u> <u>multimedia modules</u>.

Finish Options


Silver anodised aluminium profile, Silver plastic covers. Black anodised aluminium profile, Black plastic end covers. White lacquered aluminium profile, White plastic end covers.

Description: EVOline® Frame Dock with UK Mains & USB Charge

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)

Product Codes:

FDOC-Q12600-1 (Silver Anodised) FDOC-Q12600-2 (Black Anodised) FDOC-Q12600-3 (White Anodised)




Description: EVOline® Frame Dock with UK Mains, USB Charge & CAT6

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)
- 2 x RJ45 Cat6, shielded, Reichle & De-Massari data connections, with 3m data cables and plugs

Product Codes:

FDOC-Q12601-1 (Silver Anodised) FDOC-Q12601-2 (Black Anodised) FDOC-Q12601-3 (White Anodised)




Description: EVOline® Frame Dock with UK Mains, USB Charge & HDMI

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)
- 1 x HDMI 2.0 socket, with 3m cable and plug

Product Codes:

FDOC-Q12602-1 (Silver Anodised) FDOC-Q12602-2 (Black Anodised) FDOC-Q12602-3 (White Anodised)



000

D

Description: EVOline® Frame Dock with UK Mains, USB Charge , HDMI & CAT6

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)
- 1 x HDMI 2.0 socket, with 3m cable and plug
- 2 x RJ45 Cat6, shielded, Reichle & De-Massari data connections, with 3m data cables and plugs

Product Codes:

FDOC-Q12603-1 (Silver Anodised) FDOC-Q12603-2 (Black Anodised) FDOC-Q12603-3 (White Anodised)

Description: EVOline® Frame Dock with UK Mains, (Quick Charge & Power Delivery)

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB A+C (QC/PD), with USB Type A Quick Charge (up to 15w/3A) + USB Type C Power Delivery (up to 65w/3.25A)

Product Codes:

FDOC-Q14780-1 (Silver Anodised) FDOC-Q14780-2 (Black Anodised) FDOC-Q14780-3 (White Anodised)



Description: EVOline® Frame Dock with UK Mains, CAT6, (Quick Charge & Power Delivery)

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB A+C (QC/PD), with USB Type A Quick Charge (up to 15w/3A) + USB Type C Power Delivery (up to 65w/3.25A)1 x HDMI 2.0 socket, with 3m cable and plug
- 2 x RJ45 Cat6, shielded, Reichle & De-Massari data connections, with 3m data cables and plugs

Product Codes:

FDOC-Q14781-1 (Silver Anodised) FDOC-Q14781-2 (Black Anodised) FDOC-Q14781-3 (White Anodised)



Description: EVOline® Frame Dock with UK Mains, USB Charge & HDMI (Quick Charge & Power Delivery)

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB A+C (QC/PD), with USB Type A Quick Charge (up to 15w/3A) + USB Type C Power Delivery (up to 65w/3.25A)
- 1 x HDMI 2.0 connection with 3m cable and plug

Product Codes:

FDOC-Q14782-1 (Silver Anodised) FDOC-Q14782-2 (Black Anodised) FDOC-Q14782-3 (White Anodised)




Description: EVOline® Frame Dock with UK Mains, USB Charge , HDMI & CAT6 (Quick Charge & Power Delivery)

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB A+C (QC/PD), with USB Type A Quick Charge (up to 15w/3A) + USB Type C Power Delivery (up to 65w/3.25A)
- 1 x HDMI 2.0 connection with 3m cable and plug
- 2 x RJ45 CAT 6, shielded, Reichle & De-Massari data connection, with 3m data cables and plugs

Product Codes:

FDOC-Q14783-1 (Silver Anodised) FDOC-Q14783-2 (Black Anodised) FDOC-Q14783-3 (White Anodised)





Frame Dock Hide



EVOline[®] Frame Dock

The EVOline FrameDock Hide provides the perfect solution for flush mounted sockets or charging into virtually any surface. Totally modular, it can be customized to suit your needs however much or little connectivity required

Various finish options in conjunction with only 53mm total installation depth make this a robust and versatile all-rounder. The new cover system enables your connectivity to be covered or uncovered when not in use

Finish Options

Silver anodised aluminium profile, Silver cover with black plastic covers. Black anodised aluminium profile, Black plastic covers. White lacquered aluminium profile, White plastic covers.

Description: EVOline® Frame Dock hidewith UK Mains & USB Charge

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)

Product Codes:

FDOC-Q13258-1 (Silver Anodised) FDOC-Q13258-2 (Black Anodised) FDOC-Q13258-3 (White Anodised)



Description: EVOline® Frame Dock hide with UK Mains, USB Charge & RJ45

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)
- 2 x RJ45 Cat6, shielded, Reichle & De-Massari data connections, with 3m data cables and plugs

Product Codes:

FDOC-Q13259-1 (Silver Anodised) FDOC-Q13259-2 (Black Anodised) FDOC-Q13259-3 (White Anodised)

Description: EVOline® Frame Dock hide with UK Mains, USB Charge & RJ45

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)
- 1 x HDMI 2.0 Socket with 3m cable and plug

Product Codes:

FDOC-Q13260-1 (Silver Anodised) FDOC-Q13260-2 (Black Anodised) FDOC-Q13260-3 (White Anodised)



Description: EVOline® Frame Dock hide with UK Mains & RJ45

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)
- 1 x HDMI 2.0 Socket with 3m cable and plug
- 2 x RJ45 Cat6, shielded, Reichle & De-Massari data connections, with 3m data cables and plugs

Product Codes:

FDOC-Q13261-1 (Silver Anodised) FDOC-Q13261-2 (Black Anodised) FDOC-Q13261-3 (White Anodised)



Description: EVOline® Frame Dock hide with UK Mains, HDMI, USB Charge & CAT6

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)
- 1 x HDMI 2.0 Socket with 3m cable and plug
- 1x USB-C Power delivery
- 2 x RJ45 Cat6, shielded, Reichle & De-Massari data connections, with 3m data cables and plugs

Product Codes:

FDOC-Q13262-1 (Silver Anodised) FDOC-Q13262-2 (Black Anodised) FDOC-Q13262-3 (White Anodised)

Description: EVOline® Frame Dock hide with UK Mains & USB Charge (Quick Charge & Power Delivery)

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB A+C (QC/PD), with USB Type A Quick Charge (up to 15w/ 3A) + USB Type C Power Delivery (up to 65w/3.25A)

Product Codes:

FDOC-Q14784-1 (Silver Anodised) FDOC-Q14784-2 (Black Anodised) FDOC-Q14784-3 (White Anodised)



Description: EVOline® Frame Dock hide with UK Mains, USB Charge & Cat6 (Quick Charge & Power Delivery)

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB A+C (QC/PD), with USB Type A Quick Charge (up to 15w/ 3A) + USB Type C Power Delivery (up to 65w/3.25A)
- 2 x RJ45 CAT 6A, shielded, Reichle & De-Massari data connections with 3m cables and plugs

Product Codes:

FDOC-Q14785-1 (Silver Anodised) FDOC-Q14785-2 (Black Anodised) FDOC-Q14785-3 (White Anodised)



Description: EVOline® Frame Dock hide with UK Mains & HDMI (Quick Charge & Power Delivery)

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB A+C (QC/PD), with USB Type A Quick Charge (up to 15w/ 3A) + USB Type C Power Delivery (up to 65w/3.25A)
- 1 x HDMI 2.0 connection with 3m cable and plug

Product Codes:

FDOC-Q14786-1 (Silver Anodised) FDOC-Q14786-2 (Black Anodised) FDOC-Q14786-3 (White Anodised)



Description: EVOline® Frame Dock hide with UK Mains, HDMI, USB Charge & CAT6 (Quick Charge & Power Delivery)

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB A+C (QC/PD), with USB Type A Quick Charge (up to 15w/ 3A) + USB Type C Power Delivery (up to 65w/3.25A)
- 1 x HDMI 2.0 connection with 3m cable and plug
- 2 x RJ45 CAT 6A, shielded, Reichle & De-Massari data connections with 3m cables and plugs

Product Codes:

FDOC-Q14787-1 (Silver Anodised) FDOC-Q14787-2 (Black Anodised) FDOC-Q14787-3 (White Anodised)





EVOline[®] U-Dock

The EVOline[®] U-Dock provides a modular and versatile under desk solution.

Robust in design, this functional system is ideal for placement of power and connectivity under a meeting or boardroom table, accessible via an opening in/behind the table.

Alternatively the U-Dock can be installed within the custom designed EVOline[®] Rail.

The U-Dock can be tailored to individual interiors and specified with UK and/or international sockets, USB Chargers, data and multimedia modules.

Finish Options

Silver anodised aluminium profile, Black plastic end covers.

Mounting Options

End Cap with mounting tabs (screw fixed). Flush Mounting set with wing nuts or screws within EVOline[®] Rail.


Description: EVOline® U Dock with UK Mains & USB Charge

220mm Long case (including tabs)

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)

Product Codes:

UDOC-Q12610-1 Black and Silver UDOC-Q12610-2 All Black




Description: EVOline® U Dock with UK Mains, USB Charge & RJ45

325mm Long case (including tabs)

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)
- 2 x RJ45 Cat6, shielded, Reichle & De-Massari data connection, with 3m data cable and plug

Product Codes:

UDOC-Q12611-1 Black and Silver UDOC-Q12611-2 All Black




Description: EVOline® U Dock with UK Mains, USB Charge & HDMI

265mm Long case (including tabs)

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)
- 1 x HDMI 2.0 socket, with 3m cable and plug

Product Codes:

UDOC-Q12612-1 Black and Silver UDOC-Q12612-2 All Black




Description: EVOline® U Dock with UK Mains, USB Charge, HDMI & RJ45

345mm Long case (including tabs)

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)
- 1 x HDMI 2.0 socket, with 3m cable and plug
- 2 x RJ45 Cat6, shielded, Reichle & De-Massari data connection, with 3m data cable and plug

Product Codes:

UDOC-Q12613-1 Black and Silver UDOC-Q12613-2 All Black




Description: EVOline® U Dock with UK Mains, USB Charge, HDMI, USB Data & RJ45

425mm Long case (including tabs)

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB, Type A+C charger socket (2.1A shared)
- 1 x HDMI 2.0 socket, with 3m cable and plug
- 2 x USB 3.0 Type A data transfer module with 3m USB cable and plug
- 2 x RJ45 Cat6, shielded, Reichle & De-Massari data connection, with 3m data cable and plug

Product Codes:

UDOC-Q12614-1 Black and Silver UDOC-Q12614-2 All Black



Description: EVOline® U Dock with UK Mains & USB Charge (Quick Charge & Power Delivery)

200mm Long case (including tabs)

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable and 13A UK plug
- 1 x USB Charger A+C (QC/PD) with USB Type A Quick Charge (up to 15w/3A) + USB Type C Power Delivery (up to 65w/3.25A)

Product Codes:

UDOC-Q14789-1 Black and Silver UDOC-Q14789-2 All Black



Description: EVOline® U Dock with UK Mains, USB Charge & CAT6 (Quick Charge & Power Delivery)

310mm Long case (including tabs)

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable and 13A UK plug
- 1 x USB Charger A+C (QC/PD) with USB Type A Quick Charge (up to 15w/3A) + USB Type C Power Delivery (up to 65w/3.25A)
- 2 x RJ45 CAT 6, shielded, Reichle & De-Massari data connections with 3m cables and plugs

Product Codes:

UDOC-Q14790-1 Black and Silver UDOC-Q14790-2 All Black



Description: EVOline® U Dock with UK Mains, USB Charge, HDMI (Quick Charge & Power Delivery)

270mm Long case (including tabs)

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable and 13A UK plug
- 1 x USB Charger A+C (QC/PD) with USB Type A Quick Charge (up to 15w/3A) + USB Type C Power Delivery (up to 65w/3.25A)
- 1 x HDMI 2.0 connection with 3m cable and plug

Product Codes:

UDOC-Q14791-1 Black and Silver UDOC-Q14791-2 All Black



Description: EVOline® U Dock with UK Mains, USB Charge, HDMI, CAT6 (Quick Charge & Power Delivery)

425mm Long case (including tabs)

- 2 x UK sockets, individually fused 3.15A, with 3m supply cable and 13A UK plug
- 1 x USB Charger A+C (QC/PD) with USB Type A Quick Charge (up to 15w/3A) + USB Type C Power Delivery (up to 65w/3.25A)
- 1 x HDMI 2.0 connection with 3m cable and plug
- 2 x RJ45 CAT 6, shielded, Reichle & De-Massari data connections with 3m cables and plugs

Product Codes:

UDOC-Q14792-1 Black and Silver UDOC-Q14792-2 All Black



Below you will see centre table hatches with brush strip which cover the Udock.





EVOline[®] Circle80

Part of the next generation 'Made in Germany' quality assured power & connectivity range from EVOline is the exciting new Circle80. A compact and contemporary 80mm solution, it offers a power socket, double USB charger and spacious cable aperture with sliding cable clip.

Can be upgraded to include (even retrospectively) various connectivity options such as HDMI, Cat6/6A Data or USB 3.0.

Quick and easy to install, including when retrofitting, a versatile solution for numerous horizontal and vertical applications.

Finish Options

Black plastic cover and housing White plastic cover and housing



Description: EVOline® Circle 80 with UK mains & USB charge

- 1 x UK socket, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB Type A+C charger (2.1A shared)

Product Code:

CIR80-Q12626-1 (Black) CIR80-Q12626-2 (White) CIR80-Q12626-3 (Silver)

Description: EVOline® Circle 80 with UK mains, USB charge & HDMI

- 1 x UK socket, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB Type A+C charger (2.1A shared)
- 1 x HDMI 2.0 socket, with 3m cable and plug

Product Code:

CIR80-Q12627-1 (Black) CIR80-Q12627-2 (White) CIR80-Q12627-3 (Silver)

Description: EVOline® Circle 80 with UK mains, USB charge & CAT6

- 1 x UK socket, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB Type A+C charger (2.1A shared)
- 1 x RJ45 Cat6, shielded, Reichle & De-Massari data connection

Product Code:

CIR80-Q12628-1 (Black) CIR80-Q12628-2 (White) CIR80-Q12628-3 (Silver)

Description: EVOline® Circle 80 with UK mains, USB charge & USB-C Power Delivery

- 1 x UK socket, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB Type A+C charger (2.1A shared)
- 1 x USB-C Power Delivery

Product Code:

CIR80-Q13270-1 (Black) CIR80-Q13270-2 (White) CIR80-Q13270-3 (Silver)

Description: EVOline® Circle 80 Hide with UK mains + Cover

- 1 x UK socket, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB Type A+C charger (2.1A shared)
- 1x Cover

Product Code:

CIR80H-Q13689-1 (Black) CIR80H-Q13689-2 (White)





Description: EVOline® Circle 80 with UK mains & USB charge & Wireless Charge

- 1 x UK socket, individually fused 3.15A, with 3m supply cable & 13A UK plug
- 1 x Double USB Type A+C charger (2.1A shared)
- 1x Wireless Charger

Product Code:

CIR80-Q13690-1 (Black) CIR80-Q13690-2 (White)

Description: EVOline® Circle 80 inserts

Product Code:

- CIR80-Q12198-2 Blank insert (White)
- CIR80-Q12198-3 6x apertures 2 of each 4mm, (Black) 7, & 9mm insert
- CIR80-Q12198-4 6x apertures 2 of each 4mm, (White) 7, & 9mm insert
- CIR80-Q12199-1 3x apertures 2x 4mm, 1x 9mm (Black) Cat6 insert
- CIR80-Q12199-2 3x apertures 2x 4mm, 1x 9mm (White) Cat6A insert

CIR80-Q12199-3 3x apertures 2x 4mm, 1x 9mm (Black) HDMI insert

CIR80-Q12199-4 3x apertures 2x 4mm, 1x 9mm (White) USB 3.0 TYPE A insert

CIR80-Q12199-5 3x apertures 2x 4mm, 1x 9mm (Black) USB C 3.1 (Upto 60W/3A & 5GB Data Transfer) insert

CIR80-Q12199-6 3x apertures 2x 4mm, 1x 9mm (White) USB C 3.1 (Upto 100W/3A & 10GB Data Transfer) insert

CIR80-Q12199-7 3x apertures 2x 4mm, 1x 9mm (Black) USB-C Power Delivery & Data Transfer (Upto 100W/3A & 10GB) insert

CIR80-Q12199-8 3x apertures 2x 4mm, 1x 9mm (White) USB-C Power Delivery & Data Transfer (Upto 100W/3A & 10GB) insert

CIR80-Q13691-1 Cover (Black)

CIR80-Q13691-2 Cover (White)

CIR80-Q13692.1 Circle 80 Disq with Wireless Charger (with 1.5m USB-C plug + Separate 20w 3 pin adaptor) (Black)

CIR80-Q13692.2 Circle 80 Disq with Wireless Charger (with 1.5m USB-C plug + Separate 20w 3 pin adaptor) (White) 17



Image shows a Circle 80 Monitor plate, ask your sales contact for more information





EVOline[®] ONE

"RedDot Design Award" 2019, Iconic Awards "Innovative Interior" 2019

The ONE is the smallest ever Power & Connectivity innovation from EVOline and very much part of their next generation of products. Available with various regional power socket or double USB charge for that subtle and discreet solution integrated within your furniture.

If required, the ONE can also be supplied with up to 2 means of combined connectivity such as HDMI, Cat6/6A or USB 3.0.

Quick and easy to install, including when retrofitting, a versatile solution for numerous horizontal and vertical applications.



Description: EVOline® One with UK Mains

- 1 x UK socket, individually fused 3.15A, with 3m supply cable & 13A UK plug

Product Code: ONE-Q12095-1 Black – No Cover

Description: EVOline® One with UK Mains

- 1 x UK socket, individually fused 3.15A, with 3m supply cable & 13A UK plug

Product Code: ONE-Q12095-2 White

Description: EVOline® One with UK Mains

- 1 x UK socket, individually fused 3.15A, with 3m supply cable & 13A UK plug

Product Code:

ONE-Q12095-3 Black with brushed stainless-steel trim - No Cover

Description: EVOline® One with UK Mains

- 1 x UK socket, individually fused 3.15A, with 3m supply cable & 13A UK plug

Product Code:

ONE-Q12095-4 White with brushed stainless-steel trim - No Cover

Description: EVOline® One with UK Mains

- 1 x Double USB, type A charger (2.1A shared) with 3m cable & 13A UK plug

Product Code:

ONE-Q12095-5 Black with Brass trim - No Cover

Description: EVOline® One with UK Mains

1 x Double USB, type A charger (2.1A shared) with 3m cable & 13A UK plug

Product Code:

ONE-Q12095-6 White with Brass trim – No Cover















Description: EVOline® One with USB charge

1 x Double USB, Type A+C charger (2.1A shared) with 3m cable & 13A UK plug

Product Code:

ONE-Q12624-1 Black – No Cover ONE-Q12625-1 Black – With Cover

Description: EVOline® One with USB charge

1 x Double USB, Type A+C charger (2.1A shared) with 3m cable & 13A UK plug

Product Code:

ONE-Q12624-2 White - No Cover ONE-Q12625-2 White – With Cover

Description: EVOline® One with USB charge

1 x Double USB, Type A+C charger (2.1A shared) with 3m cable & 13A UK plug

Product Code:

ONE-Q12624-3 Black with brushed stainless-steel trim – No Cover ONE-Q12625-3 Black with brushed stainless-steel trim – With Cover

Description: EVOline® One with USB charge

1 x Double USB, Type A+C charger (2.1A shared) with 3m cable & 13A UK plug

Product Code:

ONE-Q12624-4 White with brushed stainless-steel trim – No Cover ONE-Q12625-4 White with brushed stainless-steel trim – With Cover

Description: EVOline® One with USB charge

1 x Double USB, Type A+C charger (2.1A shared) with 3m cable & 13A UK plug

Product Code:

ONE-Q12624-5 Black with Brass trim - No Cover ONE-Q12625-5 Black with Brass trim - With Cover

Description: EVOline® One with USB charge

1 x Double USB, Type A+C charger (2.1A shared) with 3m cable & 13A UK plug

Product Code:

ONE-Q12624-6 White with Brass trim – No Cover ONE-Q12625-6 White with Brass trim – With Cover



















Description: EVOline® One with HDMI

- 1 x HDMI 2.0 socket, with 3m supply cable & plug

Product Code: ONE-Q12193-1 Black - No Cover

Description: EVOline® One with HDMI

- 1 x HDMI 2.0 socket, with 3m supply cable & plug

Product Code: ONE-Q12193-2 White - No Cover

Description: EVOline® One with HDMI

- 1 x HDMI 2.0 socket, with 3m supply cable & plug

Product Code: ONE-Q12193-3 Black with brushed stainless-steel trim – No Cover

Description: EVOline® One with HDMI

- 1 x HDMI 2.0 socket, with 3m supply cable & plug

Product Code: ONE-Q12193-4 White with brushed stainless-steel trim – No Cover

Description: EVOline® One with HDMI

- 1 x HDMI 2.0 socket, with 3m supply cable & plug

Product Code: ONE-Q12193-5 Black with Brass trim – No Cover

Description: EVOline® One with HDMI

- 1 x HDMI 2.0 socket, with 3m supply cable & plug

Product Code:

ONE-Q12193-6 White with Brass trim – No Cover



Description: EVOline® One with HDMI

- 2 x HDMI 2.0 socket, with 3m supply cable & plug

Product Code: ONE-Q12194-1 Black - No Cover

Description: EVOline® One with HDMI

- 2 x HDMI 2.0 socket, with 3m supply cable & plug

Product Code: ONE-Q12194-2 White - No Cover

Description: EVOline® One with HDMI

- 2 x HDMI 2.0 socket, with 3m supply cable & plug

Product Code: ONE-Q12194-3 Black with brushed stainless-steel trim – No Cover

Description: EVOline® One with HDMI

- 2 x HDMI 2.0 socket, with 3m supply cable & plug

Product Code: ONE-Q12194-4 White with brushed stainless-steel trim – No Cover

Description: EVOline® One with HDMI

- 2 x HDMI 2.0 socket, with 3m supply cable & plug

Product Code: ONE-Q12194-5 Black with Brass trim – No Cover

Description: EVOline® One with HDMI

- 2 x HDMI 2.0 socket, with 3m supply cable & plug

Product Code:

ONE-Q12194-6 White with Brass trim – No Cover



Description: EVOline® One with RJ45 Cat6

 1 x RJ45 CAT6 Shielded Reichle & De-Massari data connection, with 3m supply cable & plug

Product Code:

ONE-Q12195-1 Black - No Cover

Description: EVOline® One with RJ45 Cat6

 1 x RJ45 CAT6 Shielded Reichle & De-Massari data connection, with 3m supply cable & plug

Product Code: ONE-Q12195-2 White - No Cover

Description: EVOline® One with RJ45 Cat6

 1 x RJ45 CAT6 Shielded Reichle & De-Massari data connection, with 3m supply cable & plug

Product Code:

ONE-Q12195-3 Black with brushed stainless-steel trim - No Cover

Description: EVOline® One with RJ45 Cat6

- 1 x RJ45 CAT6 Shielded Reichle & De-Massari data connection, with 3m supply cable & plug

Product Code:

ONE-Q12195-4 White with brushed stainless-steel trim - No Cover

Description: EVOline® One with RJ45 Cat6

- 1 x RJ45 CAT6 Shielded Reichle & De-Massari data connection, with 3m supply cable & plug

Product Code: ONE-Q12195-5 Black with Brass trim – No Cover

Description: EVOline® One with RJ45 Cat6

 1 x RJ45 CAT6 Shielded Reichle & De-Massari data connection, with 3m supply cable & plug

Product Code:

ONE-Q12195-6 White with Brass trim – No Cover





Description: EVOline® One with RJ45 Cat6

 2 x RJ45 CAT6 Shielded Reichle & De-Massari data connection, with 3m supply cable & plug

Product Code:

ONE-Q12196-1 Black - No Cover

Description: EVOline® One with RJ45 Cat6

 2 x RJ45 CAT6 Shielded Reichle & De-Massari data connection, with 3m supply cable & plug

Product Code: ONE-Q12196-2 White - No Cover

Description: EVOline® One with RJ45 Cat6

 2 x RJ45 CAT6 Shielded Reichle & De-Massari data connection, with 3m supply cable & plug

Product Code:

ONE-Q12196-3 Black with brushed stainless-steel trim – No Cover

Description: EVOline® One with RJ45 Cat6

 2 x RJ45 CAT6 Shielded Reichle & De-Massari data connection, with 3m supply cable & plug

Product Code:

ONE-Q12196-4 White with brushed stainless-steel trim - No Cover

Description: EVOline® One with RJ45 Cat6

 2 x RJ45 CAT6 Shielded Reichle & De-Massari data connection, with 3m supply cable & plug

Product Code: ONE-Q12196-5 Black with Brass trim – No Cover

Description: EVOline® One with RJ45 Cat6

 2 x RJ45 CAT6 Shielded Reichle & De-Massari data connection, with 3m supply cable & plug

Product Code:

ONE-Q12196-6 White with Brass trim – No Cover







EVOline[®] Dock Fix

Practical versatility. The DockFix is the ideal solution for areas requiring a high degree of versatility and customisation. It scores top marks for variable lengths and freely configurable connections for power, data and multimedia devices. Thanks to the two metal end caps with mounting brackets, the DockFix is easily fitted directly on, or underneath the tabletop, sideboard or lounge furniture, depending on the model. The clever part is that the DockFix can be positioned anywhere on the surface and lies flat. As a result, all connections are easy to reach. The DockFix also allows plenty of design options

Finishes



silver



black



white

Description: EVOline® Dock Fix with UK Mains & USB Charge

- 2 x UK Socket, individually fused 3.15A with 3m supply cable & 13A UK plug
- 1 X Double UBS Type A+C charge (2.1A Shared)

Product Code:

DOCF-Q13271-1 Silver DOCF-Q13271-2 Black DOCF-Q13271-3 White

Description: EVOline® Dock Fix with UK Mains, USB Charge & RJ45

- 2 x UK Socket, individually fused 3.15A with 3m supply cable & 13A UK plug
- 1 X Double UBS Type A+C charge (2.1A Shared)
- 2 x RJ45 CAT6 Shielded Reichle & De-Massari data connection, with 3m supply cable & plug

Product Code:

DOCF-Q13272-1 Silver DOCF-Q13272-2 Black DOCF-Q13272-3 White

Description: EVOline® Dock Fix with UK Mains, USB Charge & HDMI

- 2 x UK Socket, individually fused 3.15A with 3m supply cable & 13A UK plug
- 1 X Double UBS Type A+C charge (2.1A Shared)
- 1 x HDMI 2.0 socket, with 3m cable and plug

Product Code:

DOCF-Q13273-1 Silver DOCF-Q13273-2 Black DOCF-Q13273-3 White



- 2 x UK Socket, individually fused 3.15A with 3m supply cable & 13A UK plug
- 1 X Double UBS Type A+C charge (2.1A Shared)
- 2 x RJ45 CAT6 Shielded Reichle & De-Massari data connection, with 3m supply cable & plug
- 1 x HDMI 2.0 socket, with 3m cable and plug

Product Code:

DOCF-Q13274-1 Silver DOCF-Q13274-2 Black DOCF-Q13274-3 White



Description: EVOline® Dock Fix with UK Mains, USB Charge, CAT6, HDMI & USB-C Power Delivery

- 2 x UK Socket, individually fused 3.15A with 3m supply cable & 13A UK plug
- 1 X Double UBS Type A+C charge (2.1A Shared)
- 2 x RJ45 CAT6 Shielded Reichle & De-Massari data connection, with 3m supply cable & plug
- 1 x HDMI 2.0 socket, with 3m cable and plug
- 1x USB-C Power Delivery



EVOline





Description: EVOline® Dock Fix with UK Mains & USB Charge (Quick Charge & Power Delivery)

- 2 x UK Socket, individually fused 3.15A with 3m supply cable & 13A UK plug
- 1 x Double UBS Type A+C charge (QC/PD)

Product Code:

DOCF-Q14793-1 Silver DOCF-Q14793-2 Black DOCF-Q14793-3 White



Description: EVOline® Dock Fix with UK Mains, USB Charge, CAT6 (Quick Charge & Power Delivery)

- 2 x UK Socket, individually fused 3.15A with 3m supply cable & 13A UK plug
- 1 X Double UBS Type A+C charge (QC/PD)
- 2 x RJ45 CAT6 Shielded Reichle & De-Massari data connection, with 3m supply cable & plug

Product Code:

DOCF-Q14794-1 Silver DOCF-Q14794-2 Black DOCF-Q14794-3 White



Description: EVOline® Dock Fix with UK Mains, USB Charge & HDMI (Quick Charge & Power Delivery)

- 2 x UK Socket, individually fused 3.15A with 3m supply cable & 13A UK plug
- 1 X Double UBS Type A+C charge (QC/PD)
- 1 x HDMI 2.0 socket, with 3m cable and plug

Product Code:

DOCF-Q14795-1 Silver DOCF-Q14795-2 Black DOCF-Q14795-3 White



Description: EVOline® Dock Fix with UK Mains, USB Charge, CAT6 & HDMI (Quick Charge & Power Delivery)

- 2 x UK Socket, individually fused 3.15A with 3m supply cable & 13A UK plug
- 1 X Double UBS Type A+C charge (QC/PD)
- 2 x RJ45 CAT6 Shielded Reichle & De-Massari data connection, with 3m supply cable & plug
- 1 x HDMI 2.0 socket, with 3m cable and plug

Product Code:

DOCF-Q14796-1 Silver DOCF-Q14796-2 Black DOCF-Q14796-3 White



EVOline® Back Flip

Always available, but never in the way. When closed, the EVOline BackFlip is only a thin panel on the desktop. Push it with a finger and it rotates by 180 degrees to show its useful side: USB charger and power sockets are located so far above the panel that they are protected against water running in from the side. The low installation depth of just 53 mm allows mounting even above drawers or devices.



Finishes



Stainless steel brushed



Stainless steel brass look printed



Stainless steel matt black lacquered (similar RAL 9005)



Stainless steel matt white lacquered (similar RAL 9010)



Glass glossy black (similar RAL 9005)



Glass matt white (similar RAL 9003)



Ceramic concrete look

Description: EVOline® Back Flip with UK Mains & USB Charge

- 2 x UK Socket, individually fused 3.15A with 3m supply cable & 13A UK plug
- 1 X Double UBS Type C charge

Product Code:

BACK-Q12615-1 Stainless Steel BACK-Q12617-1 Black Gloss BACK-Q12636-2 Brass BACK-Q12617-2 White Gloss BACK-Q12616-1 Black Steel BACK-Q12618-1 Grey Ceramic BACK-Q12616-2 White Steel BACK-Q14114.1 Black Glass





Description: EVOline® Bridge

The EVOline Bridge tidies up the cable routing. The rail is rigid, suitable for rolling over and so flat that no tripping hazard arises. Power and data cables are laid separately in two compartments in their sturdy anodised aluminium housing.

Product Code:

BRID-Q12493-1 Silver 500mm BRID-Q12493-2 Silver 800mm BRID-Q12493-3 Silver 1200mm BRID-Q12493-4 Silver 1600mm BRID-Q12493-5 Silver 2000mm

BRID-Q12494-1 Black 500mm BRID-Q12494-2 Black 800mm BRID-Q12494-3 Black 1200mm BRID-Q12494-4 Black 1600mm BRID-Q12494-5 Black 2000mm

Description: EVOline® Bridge Modules

Junctions / Connections

Product Code:

BRID-Q12495-1 Black Corner Module


BRID-Q12495-2 Black T Module

BRID-Q12495-3 Black Cross Module

BRID-Q12495-4 Black Bridge to Wirelane Module

BRID-Q12495-5 Black Bridge to Vertical Module

Bridge Module Vertical BRID-Q12495-6 Black Bridge Connectors (2 pieces)





Bridge Module T includes 6 Fixing bolts

Bridge Module Arc 90° includes 4 Fixing bolt

Bridge Module Cross includes 8 Fixing bolts



Bridge Module Adaptor WireLane can also be used as end piece.

Bridge Connectors 2 Pieces



Description: EVOline® Sleeve

Flexible, made of polyester fabric with zipper for bundling cables

Product Code:

CABL.Q12683.1 – 20mm Dia (Max 30mm) with Zip CABL.Q12683.2 – 35mm Dia (Max 50mm) with Zip

Description: EVOline® WireLane

Under desk cable channel made of plastic. The elements can be linked and separated.

Product Code:

WIRE.Q12496.1 – Grey Wirelane, 3x 250mm (Links closed) or 3x 330mm (Links open) WIRE.Q12496.2 – Black Wirelane, 3x 250mm (Links closed) or 3x 330mm (Links open)

Description: EVOline® WireLane Strain Relief

In black plastic with two clamps for cable.

Product Code:

WIRE.Q12496.3 - Wirelane Strain Relief

Description: EVOline® Mains lead

UK power supply cable with GST18 plug and 13A plug

Product Code:

- EXPR.Q13236-1 1m Length
- EXPR.Q13236-2 2m Length


EXPR.Q13236-3 3m Length







Comprehensive range available





About Us.

We design and install prebuilt and bespoke AV furniture, Media walls, lecterns, credenzas, stands, trolleys, cabinets, acoustic treatments and much more.

We do this using the latest professional CNC machinery and only the best core materials. Located in York with close access to the motorway network we are conveniently located to deliver and install across the UK.

Quadra AV Furniture Ltd Head Office : Glaisdale Road, Northminster Business Park, Upper Poppleton, York, YO26 6QT

Web - www.qavf.co.uk Telephone - 01904 528 519 Email - sales@qavf.co.uk

Your Local Quadra Partner:





Quadra Concepts UK Limited trading as Quadra AV Furniture is registered in England and Wales. Reg No. 06322818 – VAT No. GB 916 3405 38









